

**STABILITY STUDIES OF NATURAL AND COMPLEX DYES IN
DIFFERENT SOLVENT AND POLYMER SYSTEM**

ROHAITY BINTI RAMLI

**Final Year Paper Project Report Submitted in Partial Fulfillment of the
Requirements for the Degree of Bachelor Science (Hons.) Applied
Chemistry in the Faculty of Applied Sciences
Universiti Teknologi MARA**

MAY 2009

This final year project report entitled “**Stability Studies of Natural and Complex Dyes In Different Solvent and Polymer System**” was submitted by Rohaity Ramli, in fulfillment of requirements for the degree of Bachelor Science (Hons.) Applied Chemistry, in the Faculty of Applied Sciences, and was approved by



Prof Madya Dr Rahmah Bt Mohamed
Supervisor
B. Sc. (Hons.) Applied Chemistry
Faculty of Applied Science
Universiti Teknologi MARA
40450 Shah Alam
Selangor



Cik Sabrina M. Yahya
Project Coordinator
B. Sc. (Hons.) Applied Chemistry
Faculty of Applied Science
Universiti Teknologi MARA
40450 Shah Alam
Selangor



Prof Madya Dr. Yusairee Mohd
Head of Program
B. Sc. (Hons.) Applied Chemistry
Faculty of Applied Science
Universiti Teknologi MARA
40450 Shah Alam
Selangor

Date: 18/5/2009

ACKNOWLEDGMENTS



in the name of Allah, most Gracious, most Merciful

Assalamualaikum w.b.t....

By the name of Allah SWT, and His bless, I had successfully completed this project.

First and foremost, I would like to extend my appreciation to people who helped me in order to complete this proposal. These special thanks dedicated to my supervisor Prof. Madya Dr. Rahmah Bt Mohamed, for her time spent in guiding and improving the content of my final year project. I gratefully acknowledge for the opportunity to be supervised by her.

I also thanks to all lab assistants in Uitm Shah Alam for their kindness, full co-operation and give hand on how to work with instruments, sample and other else that related in my project.

My deepest appreciation to my mother, Fatimah Talib and all my family members for their never ending support and encouragement.

Furthermore, thanks to them that gives their time to help me to settle this project. Do not forget, about to all my friends, that help and give co-operation to me to finish this proposal.

Thank you and May Allah bless us.

TABLE OF CONTENT

	PAGE
ACKNOWLEDGEMENT	iii
TABLE OF CONTENT	iv
LIST OF TABLES	vi
LIST OF FIGURES	vii
LIST OF ABBREVIATIONS	viii
ABSTRACT	ix
ABSTRAK	x
1.0 INTRODUCTION	
1.1 Background and problem statement	1
1.2 Significance of study	2
1.3 Objective of study	3
2.0 LITERATURE REVIEW	
2.1 Purple sweet potatoes	4
2.2 Anthocyanin	5
2.3 Pigment extraction of anthocyanin	6
2.4 Extraction of anthocyanin from purple sweet potatoes	7
2.5 The effects of light and temperature on anthocyanin stability	7
2.6 Poly (methyl methacrylate)-PMMA	9
2.7 Uv-vis spectrometer (Perkin Elmer Lambda 35)	10
2.8 Fluorescence spectrometer	12
3.0 METHODOLOGY	
3.1 Materials	15
3.2 Methods	15
3.2.1 Sample preparation	15
3.2.2 Extraction of Anthocyanin	15
3.2.3 Preparation of sample for stability studies	16
3.2.3.1 Dye only	16
3.2.3.2 Polymer doped dye	18
4.0 RESULTS AND DISCUSSIONS	
4.1 Observation	19
4.2 Extraction using different solvent	19
4.3 Stability of anthocyanin	20
4.3.1 Stability studies on UV lamp exposure	21
4.3.1.1 Uv-vis results of anthocyanin	21
4.3.1.2 FES results on anthocyanin	25
4.3.2 Stability studies upon storage at different temperature	27

ABSTRACT

STABILITY STUDIES OF NATURAL AND COMPLEX DYES IN DIFFERENT SOLVENT AND POLYMER SYSTEM

Purple sweet potatoes anthocyanin (PSPA) was extracted using two different solvents; water and ethanol in acidic condition. PSPA and Tin phthalocyanine dichloride were doped in PMMA. The stabilities of dye and dye doped polymer were then evaluated by exposure to UV lamp and storage at different temperature. Measurement using UV-VIS spectrometer and Fluorescence spectrometer were performed. The absorbance of dye and dye doped polymer are tend to reduce during the prolong time of exposure to UV lamp and complex dye is more stable compared to PSPA. Storage at high temperature bleached the colour of PSPA and reduced its absorbencies and intensities, thus the dye doped polymer solution should not be stored at room temperature or higher temperature at 50°C. However, PSPA in water should be left at room temperature where it shows higher intensity upon prolonged of storage time. PSPA doped in PMMA has the highest capability to fluoresce at 4°C and at room temperature.